

Message

---

**From:** Chan, Suilin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=52A7E14EA92C4B378851ADD37BA89866-CHAN, SUILIN]  
**Sent:** 2/15/2022 1:36:43 PM  
**To:** Cruz, Auria [Cruz.Auria@epa.gov]  
**CC:** Doctor, Katherine [Doctor.Katherine@epa.gov]  
**Subject:** RE: CMS Due Date Extended - Jacqueline Leavy - AX-22-000-1797

Thank you Both!!

---

**From:** Cruz, Auria <Cruz.Auria@epa.gov>  
**Sent:** Tuesday, February 15, 2022 8:31 AM  
**To:** Chan, Suilin <Chan.Suilin@epa.gov>  
**Cc:** Doctor, Katherine <Doctor.Katherine@epa.gov>  
**Subject:** FW: CMS Due Date Extended - Jacqueline Leavy - AX-22-000-1797

Hi Suilin, 😊

Extension granted. New date is 3/8/22.

Gracias  
Auria

-----Original Message-----

**From:** [cmsadmin@epa.gov](mailto:cmsadmin@epa.gov) <[cmsadmin@epa.gov](mailto:cmsadmin@epa.gov)>  
**Sent:** Tuesday, February 15, 2022 7:55 AM  
**To:** Cruz, Auria <[Cruz.Auria@epa.gov](mailto:Cruz.Auria@epa.gov)>  
**Subject:** CMS Due Date Extended - Jacqueline Leavy - AX-22-000-1797

Jacqueline Leavy has extended your due date for control AX-22-000-1797 to 03/08/2022 because of extension made to Katherine Doctor on 2/15/2022 7:55:16 AM. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions

From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at <https://cms.epa.gov/cms>. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or [CMS.Information@epa.gov](mailto:CMS.Information@epa.gov).